

Spatial assignment of test sample

December 13, 2016

Contents

Input	1
Isotope values of test sample	1
Output	1
Model	1
Map of best fitted reference sample	2
Best fitted reference entries	3
Testing robustness of assignment: Wilcoxon signed rank test	3
P-values for the k nearest neighbours in Wilcoxon Test	3
Goodness of fit of test sample:	4

Input

Website Identifier: 129

Isotope values of test sample

Table 1: Isotope values of test sample


13C/12C	15N/14N	18O/16O	2H/1H	34S/32S
-21.1	9.6	18.3	-29.3	8.8

Output

Model

```
##
## Call:
## train.kknn(formula = fmla, data = ivory.train, kmax = 15, distance = 2, kernel = knl)
##
## Type of response variable: nominal
## Minimal misclassification: 0.3765867
## Best kernel: triangular
## Best k: 15
Classifier: country_code
```


Map of best fitted reference sample



Best fitted reference sample:

- Site: Botswana, Mathathane area
- Country: BW
- Region: Southern Africa
- CITES: Appendix II
- Lat: -22.2
- Lon: 28.91

Assignment of test sample to nearest neighbours



Best fitted reference entries

Table 2: Details of best fitted reference entry (row 1) and other fitted entries within best classifier

lon	lat	location	13C/12C	15N/14N	18O/16O	2H/1H	34S/32S
28.91	-22.20	Botswana, Mathathane area	-21.8	9.3	17.9	-32.1	9.6
27.73	-21.89	Botswana, Mmadinare area	-21.4	10.2	17.1	-27.7	8.0
28.91	-22.20	Botswana, Mathathane area	-21.7	10.6	18.2	-24.0	8.5
27.57	-21.65	Botswana, Francistown area	-21.0	9.7	16.9	-32.5	10.1
28.42	-22.00	Botswana, Bobonong area	-21.4	8.7	18.5	-35.0	10.7
28.91	-22.20	Botswana, Mathathane area	-20.4	10.3	18.7	-34.6	11.0
28.91	-22.20	Botswana, Mathathane area	-21.6	10.5	16.9	-33.2	10.5

Country of prediction: BW

Testing robustness of assignment: Wilcoxon signed rank test

If p -value > 0.05 , the test concludes that the isotope signature of the test sample is similar to the respective nearest neighbour reference sample.

P-values for the k nearest neighbours in Wilcoxon Test

“0.450872, 0.400494, 0.122524, 0.122524, 0.122524, 0.001600, 0.000013”

Goodness of fit of test sample:

- good fit: if $p > 0.05$ for at least two tested nearest neighbour reference samples;
- moderate fit: if $p > 0.05$ for at least one tested nearest neighbour reference samples;
- uncertain: if $p > 0.05$ for none of the tested nearest neighbour reference samples.

Assumption: At least two nearest reference samples are available.

Overall goodness of fit of test sample: “**good fit**”