

# Spatial assignment of test sample

November 24, 2016

## Contents

<b>Input</b>	<b>1</b>
Isotope values of test sample . . . . .	1
<b>Output</b>	<b>1</b>
Model . . . . .	1
Map of best fitted reference sample . . . . .	2
Best fitted reference entries . . . . .	3
Testing robustness of assignment: Wilcoxon signed rank test . . . . .	3
P-values for the k nearest neighbours in Wilcoxon Test . . . . .	3
Goodness of fit of test sample: . . . . .	4

## Input

Website Identifier: 109-L

## Isotope values of test sample

Table 1: Isotope values of test sample


13C/12C	15N/14N	18O/16O	2H/1H	34S/32S
-22.2	9.1	17.9	-32	12.6

## Output

### Model

```
##
## Call:
## train.kknn(formula = fmla, data = ivory.train, kmax = 15, distance = 2, kernel = knl)
##
## Type of response variable: nominal
## Minimal misclassification: 0.3765867
## Best kernel: triangular
## Best k: 15
Classifier: country_code
```


## Map of best fitted reference sample



### Best fitted reference sample:

- Site: Botswana, Bobonong area
- Country: BW
- Region: Southern Africa
- CITES: Appendix II
- Lat: -22
- Lon: 28.42

## Assignment of test sample to nearest neighbours



### Best fitted reference entries

Table 2: Details of best fitted reference entry (row 1) and other fitted entries within best classifier

lon	lat	location	13C/12C	15N/14N	18O/16O	2H/1H	34S/32S
28.42	-22.00	Botswana, Bobonong area	-22.0	9.6	17.2	-34.2	12.9
28.42	-22.00	Botswana, Bobonong area	-21.4	8.7	18.5	-35.0	10.7
25.13	-17.84	Botswana, Kasane/Chobe area	-21.8	10.2	18.7	-36.8	11.8
28.42	-22.00	Botswana, Bobonong area	-22.0	9.6	16.3	-34.7	12.2
28.91	-22.20	Botswana, Mathathane area	-21.8	9.3	17.9	-32.1	9.6
21.93	-21.72	Botswana, Ghanzi area	-20.9	10.0	17.9	-35.0	13.9
25.13	-17.84	Botswana, Kasane/Chobe area	-21.8	9.3	18.2	-42.1	12.6
27.57	-21.65	Botswana, Francistown area	-21.3	9.5	19.4	-30.5	14.2

Country of prediction: BW

### Testing robustness of assignment: Wilcoxon signed rank test

If p-value > 0.05, the test concludes that the isotope signature of the test sample is similar to the respective nearest neighbour reference sample.

### P-values for the k nearest neighbours in Wilcoxon Test

“0.53255, 0.47731, 0.08476, 0.07692, 0.02025, 0.00315, 0.00134, 0.00034”

**Goodness of fit of test sample:**

- good fit: if  $p > 0.05$  for at least two tested nearest neighbour reference samples;
- moderate fit: if  $p > 0.05$  for at least one tested nearest neighbour reference samples;
- uncertain: if  $p > 0.05$  for none of the tested nearest neighbour reference samples.

Assumption: At least two nearest reference samples are available.

Overall goodness of fit of test sample: “**good fit**”